


BUILDING WISE F.S.I. STATEMENT				
BLDG NO.	FLOOR NO.	F.S.I. AREA (SQ.M.)		TNMTS.
(1)	(2)	COMM	RESI.	(5)
A	3B+G+10 FLOORS.	2266.62	5571.41	50.00
TOTAL AREA		7838.03		50

Form of Statement 2(Sr.No.9(a))			
Bldg no.	Floor No.	Total Built-up Area of floor, as per outer const. line (SQ.M.)	TENEMENTS
(1)	(2)	COMM. RESI.	(4)
A	BASEMENT-3	0.00	0
	BASEMENT-2	0.00	0
	BASEMENT-1	0.00	0
	GROUND FLOOR	1131.28	0
	1ST FLOOR	1135.34	0
	2ND FLOOR	0.0000	10
	3RD FLOOR	0.0000	10
	4TH FLOOR	0.0000	10
	5TH FLOOR	0.0000	10
	6TH FLOOR	0.0000	10
	7TH FLOOR	0.0000	0
	8TH FLOOR	0.0000	0
	9TH FLOOR	0.0000	0
	10TH FLOOR	0.0000	0
TOTAL AREA=		2266.62 5571.41	50
		7838.03	

PARKING CALCULATION-						
TYPE	CARPET AREA / FSI (M2)	TNMTS.(NOS)		CAR (NOS)		SCOOTER (NOS.)
		UNIT	PROP. BY RULE	REQD. BY RULE	REQD.	
Residential	80-150	1	25	1	25	25
Residential	40 - 80	2	25	1	13	2
Commercial	2266.62	100	00	2	45	6
Total Required (Nos)			50		83	185
Area Required					1037.50	370.00
In Addition 5% Visitors Parking				1407.50 x 5% = 70.38		
				1407.50 + 70.38= 1477.88		
Total Area Required						
Total Area Proposed				1480.00		



WATER REQUIREMENT:		
TANK	REQUIRED CAPACITY (LIT.)	PROPOSED CAPACITY (LIT.)
RESIDENTIAL	33750	34000.000000
COMMERCIAL	25484.230000	26000.000000
OHWT		
FIRE REQUIREMENT	25000	25000
TOTAL	84234.23	85000.00
RESIDENTIAL	50625	51000
UGWT		
FIRE REQUIREMENT	75000	75000
TOTAL	125625	126000



TRIANGLE	AREA
A-01	14.04
A-02	139.93
A-03	32.89
A-04	16.43
A-05	4.49
A-06	223.78
A-07	105.49
A-08	139.53
A-09	79.38
A-10	196.91
A-11	324.14
A-12	856.36

A-13	591.91
A-14	246.83
A-15	344.32
A-16	720.38
A-17	513.72
A-18	1342.56
A-19	261.77
A-20	6.48
TOTAL (PLOT A)	6161.35

SANITATION REQUIREMENT AS PER TABLE NO-12 'O'					
NO. OF PERSONS - 3 SQ.M./PERSONS (GROUND FLOOR): 1099.97 / 3 = 356.65 PERSONS.					
NO. OF PERSONS - 6 SQ.M./PERSONS (1ST FLOOR): 562.54 / 6 = 93.75 PERSONS.					
TOTAL NO. OF PERSONS - 448.36 PERSONS SAY 450 PERSONS					
TOTAL NO. OF PERSONS - 450 PERSONS CONSIDERING 50% GENTS & 50% LADIES.					
NO. OF PERSONS - 225 GENTS & 225 LADIES					
SR.NO	FIXTURES	SHOP OWNERS		PUBLIC TOILET FOR FLOTING POPULATION	
(1)	(2)	MALE	FEMALE	MALE	FEMALE
(3)	(4)	(5)	(6)	(7)	(8)
REQ.	PROP.	REQ.	PROP.	REQ.	PROP.
i)	W.C.	1 per 8 persons /part thereof	28 NOS.	1 per 8 persons /part thereof	28 NOS.
ii)	URINALS	---	---	1 PER 50	5 NOS.



LOCATION PLAN

SANITATION REQUIREMENT AS PER TABLE NO-12 'C'							
NO. OF PERSONS - 6 SQ.M./PERSONS (1ST FLOOR): 562.54 / 6 = 93.75 PERSONS.							
TOTAL NO. OF PERSONS - 93.75 PERSONS SAY 94 PERSONS							
TOTAL NO. OF PERSONS - 94 PERSONS CONSIDERING 50% GENTS & 50% LADIES.							
NO. OF PERSONS - 47 GENTS & 47 LADIES							
SR.NO	FIXTURES	PUBLIC TOILETS		STAFF TOILETS			
(1)	(2)	MALE	FEMALE	MALE	FEMALE	(5)	(6)
REQ.	PROP.	REQ.	PROP.	REQ.	PROP.	REQ.	PROP.
a)	W.C.	1 per 25	2 NOS.	1 per 15	3 NOS.	1 per 25	2 NOS.
b)	URINALS	4 for 71-100 add 2.5% over 200	4 NOS.	---	---	4 for 71-100 add 2.5% over 200	4 NOS.

