TOTAL AREA STATEMENT (A,B & C BUILDING)

SR. NO.	FLOOR	B/UP PROPOSED MHADA.	B/UP PROPOSED COMM.	B/UP PROPOSED RESIDENTIAL	TOTAL RESIDENTIAL UNIT
1	A BUILDING (2B+G+19TH)	2962.94	519.10	19245.18	226
2	B BUILDING (2B+G+2ND)	-	509.48	2199.56	22
3	C BUILDING (2B+G+1ST)	-	-	832.57	8
5	TOTAL AREA	2962.94	1028.58	22277.31	256
		23305.89			

TOTAL PARKING STATEMENT

TYPE	CARPET AREA FSI/M2	TENEMENTS UNIT	TENEMENTS PROPOSED	CAR BY RULE	CAR REQD	SCOOTER BY RULE	SCOOTER REQD
RES.	For every two tenements with each tenements having carpet area equal to or above 40 Sq.m.but lesathan 60 sq.m	2	256	1	128	5	640
RES.	For every two tenements with each tenements having carpet area equal to or above 60 Sq.m.but lesathan 150 sq.m.	1	0	1	0	3	0
COMM	100 sq.mt. carpet area	100	901.95	2	9	6	54
TOTAL REQUIRED			256		137		694
TOTAL REQUIRED AREA					1713		2082.35
TOTAL REQUIRED AREA							3795.06 SQM.
REQD VISITER PARKING AREA ADDITIONAL 5%							189.75 SQM.

A+ B+ C BUILDING WATER REQUIREMENT CALC.

OVER HEAD WATER TANK CALCULATIONS

	COMMERCIAL		
	COMM. AREA GROUND FL. NO OF PERSON	702.64	SQ.M
	COMM. AREA FIRST FL. NO OF PERSON	376.31	
	TOTAL NO. OF PERSON (COMM. AREA)	1072.35	NOS.
	WATER REQUIRED FOR COMM (PERSON X45)	48255.67	LIT.
	RESIDENTIAL		
1	NO. OF TENEMENTS	256	NOS.
2	NO.OF PERSON PER TENEMENTT	5	NOS.
3	WATER REQUIRE PER PERSON	135	LIT.
4	WATER REQUIRED	172800	LIT.
5	TOTAL WATER REQUIRED	221055.68	LIT.
6	WATER REQUIRED FOR FIRE	75000.00	LIT.
7	TOTAL WATER REQUIRED FOR OVER HEAD WATER TANK	296055.68	LIT.
8	UNDERGROUND WATER TANK CALCULATIONS		
9	WATER REQUIRED FOR UNDER GROUND WATER TANK IS 1.5 TIMES OF OVER HEAD	331583.51	LIT.
10	WATER REQUIRD FOR FIRE	225000.00	LIT.
11	TOTAL WATER REQUIRED FOR UNDER GROUND WATER TANK	556583.51	LIT.

FORM OF STATEMENT-2 (WING A1+A2+A3) SR.NO.9(A)

FLOOR	MHADA AREA	PROPOSED COMMERCIAL B/UP	PROPOSED RESIDENTIAL B/UP	TENEMENTS
BASEMENT 01				
BASEMENT 02				
GROUND FLOOR		336.49	219.73	0
MEZZANINE / FIRST		182.61	913.89	10
SECOND			1217.17	12
THIRD			1187.61	12
FOURTH			1187.61	12
FIFTH			1187.61	12
SIXTH			1187.61	12
SEVENTH			1187.61	12
EIGHTH			1187.61	12
NINETH			1187.61	12
TENTH			1187.61	12
ELEVENTH			1187.61	12
TWELFTH			1187.61	12
THIRTEENTH	247.06		918.84	12
FOURTEENTH	338.51		819.89	12
FIFTEEN	338.51		819.89	12
SIXTEEN	338.51		819.89	12
SEVENTEEN	338.51		819.89	12
EIGHTEEN	338.51		819.89	12
NINETEEN	1023.33		0.0	12
TOTAL AREA	2962.94	519.10	19245.18	226
TOTAL WITHOUT MHADA	0.00	19764.28		226

PROPOSED 'B' BUILDING SR.NO.9(A) (WING B1,B2,B3)

FLOOR	B/UP PROPOSED COMMERCIAL	B/UP PROPOSED RESIDENTIAL	TOTAL TENEMENT
BASEMENT 01			
BASEMENT 02			
GROUND FLOOR	330.60	91.24	
MEZZANINE / FIRST	178.88	925.447	10
SECOND		1182.872	12
TOTAL AREA	509.48	2199.56	22
	2709.04		22.00

PROPOSED 'C' BUILDING SR.NO.9(A) (C1 & C2 WING)

FLOOR	B/UP PROPOSED RESIDENTIAL	TOTAL TENAMENT
BASEMENT 01	0.00	
BASEMENT 02	0.00	
GROUND FLOOR	57.04	
FIRST	775.53	8
TOTAL AREA	832.57	8
	0.00	8

REFUGE AREA CALCULATION WING-A1& A3 REQUIREMENT REFUGE

No. of Tenements Considered for Refuge Area i.e. 02 Consecutive Floors + 01 Refuge Area (including) + Total 03 Floors (If each Floor have 04 Tenements)	03 Floors x 4 Tenements x 5 Persons / Ten = 60 Persons 60 Persons x 0.30 Sq.Mt / Per Persons = 18.00 Sq.Mt.	18.00
Total No. of Tenements of building including All Floors	4 Tenements x 39 Floors x 5 Persons = 260.00 Persons so inAddition 1mt. for each 200 Persons / Occupant of theComplete Building / All Floor for the Handicapped Persons	1.30
	Total Refuge Area Required (in Sq.Mt.)	19.30
	Total Refuge Area Proposed (in Sq.Mt.)	26.78

REFUGE AREA CALCULATION WING-A2 REQUIREMENT REFUGE

No. of Tenements Considered for Refuge Area i.e. 02 Consecutive Floors + 01 Refuge Area (including) + Total 03 Floors (If each Floor have 04 Tenements)	03 Floors x 4 Tenements x 5 Persons / Ten = 60 Persons 60 Persons x 0.30 Sq.Mt / Per Persons = 18.00 Sq.Mt.	18.00
Total No. of Tenements of Building including All Floors	4 Tenements x 39 Floors x 5 Persons = 260.00 Persons so inAddition 1mt. for each 200 Persons / Occupant of theComplete Building / All Floor for the Handicapped Persons	1.30
	Total Refuge Area Required (in Sq.Mt.)	19.30
	Total Refuge Area Proposed (in Sq.Mt.)	27.56

REFUGE AREA

BUILDING NAME	REFUGE AREA 8TH FLOOR	13TH FLLOR	18TH FLOOR
A BUILDING			
WING - A1	26.78	26.78	26.78
WING - A2	27.56	27.56	27.56
WING - A3	26.78	26.78	26.78
TOTAL	81.14	81.14	81.14

WOODLAND PARK
WOODLAND PARK
WOODLAND PARK