

Belongs To:
M/s. HALLMARK BUILDERS & OTHERS

Rep By Its Managing Partners :

SRI. ALLU SRINIVASA REDDY
S/o SRI A.VEERA REDDY
&
SRI. KANDULA ASOKA VARDHAN
S/o. LATE K.RAMI REDDY

SPECIFICATIONS

BASEMENT	C.R.S IN CM
FOUNDATION	R. C. C
COLUMNS, BEAMS, SLAB, LINTEL	R. C. C
SUPER STRUCTURE	R.C.C
PLASTERING	IN CM
DOORS & WINDOWS	TEAK WOOD

SCHEDULE OF OPENINGS

MD : 1.07X2.1 M.	FW5 : 2.43X2.43M.
D1 : 0.91X2.1 M.	W5 : 1.52X1.52M.
D2 : 0.75X2.1 M.	W6 : 1.83X1.52M.
	V : 0.91X0.76M.

REFERENCES

EXISTING		N
PROPOSED		
TO BE DISMENSELED		
SCALE 1:100		

SIGNATURE OF THE OWNER / DEVELOPER


For HALLMARK BUILDERS
deeth
Partners

SIGNATURE OF THE ENGINEER


Kasiviswanth: S
MCH LIC No. 51
STRUCTURAL ENGINEER (PANCARD)

SIGNATURE OF THE ARCHITECT


gout
MCH LIC No. 51
COUNCIL OF ARCHITECTURE



THIRD FLOOR PLAN
MORTGAGE FLOOR PLAN



FOURTH FLOOR PLAN
MORTGAGE FLOOR PLAN



TYPICAL FLOOR PLAN
(5th,6th,7th,9th,10th,11th,12th,14th,15th,16th,17th,19th,
20th,21st,22nd,24th,25th,26th,27th & 29th Floor Plans)

10. To provide one entry and one exit to the staircase with a minimum clearance of 9 mtrs.
11. To provide one emergency escape route for every room.
12. To provide fire escape route for every room.
13. To provide fire escape route for every room.
14. To provide fire escape route for every room.
15. To provide fire escape route for every room.
16. To provide fire escape route for every room.
17. To provide fire escape route for every room.
18. To provide fire escape route for every room.
19. To provide fire escape route for every room.

For METROPOLITAN COMMISSIONER
Hyderabad Metropolitan Development Authority.